



AIRION 3

AT LAST, YOUR WRIST CAN RELAX.

AIRION 3 BASICS



BELT



SILENT OPERATION




POWERFUL



PELLENC ADVANTAGES

Angled suction: a decisive factor

The tip of the blower is pushed down by the force of the outgoing air, so the wrist has to make an effort to lift it. With its angled intake, the Airion 3 compensates for this phenomenon - unlike conventional straight blowers, which exacerbate the problem.





TESTIMONIAL

"The low noise level is its greatest advantage. Its second strong point is how easy it is on the user, in particular thanks to the lightweight tool and battery. The comfortable harness spreads the load well, reducing the strain on the user and boosting productivity. The battery packs a lot of power. We use it 90% of the time, for all the usual kinds of garden work. The added bonus of the Airion 3 is the quick-connect power system, which can be unplugged if you need to put the tool down. It also lets you work safely, as it disconnects itself if it gets caught up during use."

*Laure Fancuillo
Principal landscape designer
Jardins Sestian (13)*

Speed and boost selector

Intake elbow

New, stronger material

Intake grill

NEW



Quick-connect system

Lets you quickly plug and unplug the battery connection during use. This important safety feature lets you get out of any risky or uncomfortable situation fast.



Battery life indicator

When you press on the speed selector, the LEDs flash and display the remaining battery life in 25% steps.



Intake grill

The new patented air-intake design dramatically improves user comfort and reduces the noise generated by the tool.


PELLENG PATENT



Durable motor

Protected against dust and moisture and 100% rain-proof, the Airion 3 is designed to withstand the test of time. Its motor is encased in a magnesium-alloy body, ensuring good heat dissipation, full IP54 sealing, and a longer operating life. All the mechanical parts are protected from dust and moisture.

PELLENC PATENT



Speed control

The Airion 3 speed controller lets you increase or decrease the blowing power according to the surface to be cleared. The boost function delivers maximum air flow and is activated simply by holding down the button. The Airion 3 is powerful enough to budge heavy objects, such as large masses of wet leaves stuck to the ground.

2-YEAR WARRANTY

Tool and engine block sealed at
IP54 level



SEE A VIDEO OF AIRION 3 ON OUR WEBSITE OR ON SOCIAL NETWORKS

	AIRION 3
Effective thrust* (N)	17.5 (boost)/13.5 (speed 4)
Max. power - W	940
Weight of the tool with cable (kg)	2.7
Weight of the tool without the cable (kg)	2.45
Actual weight of the tool in use (kg)	2.55
Actual airflow rate with round nozzle** - m³/h	920 (boost)/815 (speed 4)
Maximum airflow speed with round nozzle - m/s	63 (boost)/55 (speed 4)
Maximum airflow speed with flat nozzle - m/s	69 (boost)/60 (speed 4)
Sound pressure (LpA)*** - dB(A)	79
Guaranteed sound pressure - (L _{WA})*** - dB(A)	92
Sound pressure at 15 meters* - dB(A)	< 65
Vibration level - m/s²	<2.5 (0.5 actual)
Battery life***** with ULiB 1500	Up to 6 hr
4-speed selector switch + boost	•
Round nozzle	•

* According to ANSI/OPEI B175.2-2012

** With nozzle a diameter of 75 mm.

*** Values determined according to the acoustic measurement standards NF EN ISO 11203, NF EN ISO 3744 and NF EN ISO 4871.

**** Vibration emission value according to NF EN 60745-1:2009 - Kd uncertainty = 1.5 m/s²

***** For information: the times were observed in actual working time, including breaks.

Battery life is influenced by the nature of the work carried out.

Distributor's stamp

PELLENC

PELLENC

Quartier NotreDame- 84120 Pertuis- France

Tel.: +33 (0)4 90 09 47 90 - Fax: +33 (0)4 90 09 64 09

S.A.S., capital €20,848,320 - Siret 305 061 186 00014 - VAT N° FR 16 305 061 186

E-mail: contact@pellenc.com - www.pellenc.com